



## Instrument Connector



## Connector(Sensor side)



## Type Disignation































● The product range will assist you by standardizing your EXT- Cable & Adapter cable selection while providing very durable products compatible with the many leading manufacturers of patient monitor systems.



\* **Masimo SpO<sub>2</sub> Adapter cable refurbished or repair only.**

\* **The brands or registered trade mark listed in the files are belong to the respected owners of the properties.**

## SpO<sub>2</sub> Sensor Extension Cable

























Compatible Brand	Compatible Models No.	OEM P/N	REF NO.	Description (Name,Length,Plug,Compatible)	INSTRUMENT CONNECTOR	CONNECTOR (SENSOR SIDE)	PRICE CODE
<b>BCI</b>	(Biochem International): 3401,3304,3303,3302,3301,3300;		S0076BC-L	Exi-Cable, 8ft, DB9M>DB9F, Suitable for BCI probe	 389		B4
	(Biochem International): 6100, 9100, Advisor, Autocorr, Mini Torr BCI (Biochem International), Mini Torr Plus		S0111BC-L	Exi-Cable, 8ft, Readel 1bit. 7P>DB9F, Suitable for BCI probe	 558		B4
<b>BIONET</b>	BM3,BM3 Plus.		S0121BC-L	Exi-Cable, 8ft, AMP 6P>DB9F, Suitable for Bionet probe	 725		C5
<b>Bionet (Korea)</b>	BM3Vet, BM31		S0084BC-L	Exi-Cable, 8ft, Readel 1bit. 7P>DB9F, Suitable for Bionet probe	 609		B4
<b>Biosys (Korea)</b>	BPM300		S0065NE-L	Exi-Cable, 8ft, MD6M>DB9F, Suitable for Nellcor probe	 061	 130	C0
<b>Bruker (ODAM)</b>	Bruker (Odam) all		S0071BC-L	Exi-Cable, 8ft, Round12P>DB9F, Suitable for BCI probe	 721		C5
<b>Colin</b>	Datascope:Accutorr Plus, Nellcor:NPB-290/5, N-390,N-395,N-3000 N-6000,NPB-290/5,N-390,N-395,N-3000,N-6000, Nihon Kohden:BSM-4104A, BSM-4114A, Colin BP88/306	SCP-10	S0008CO-L	Exi-Cable, 8ft, AMP14P>DB9F, Suitable for Nellcor probe, as S0010B-S	 116	 127	D2
<b>Corpuls</b>  	Corpuls 08/16, 08/16M		S0138CO-L	Exi-Cable, 8ft, Readel 2bit. 6P>DB9F, Compatible for NELLCOR sensor and S0010B-S	 749	 480	F0
			S0138CS-L	Exi-Cable, 8ft, Readel 2bit. 6P>DB9F, Suitable for Masim CS Sensor and S0153B-S	 749	 480	F0
<b>CSI</b>	CSI (Criticare Systems International):506 Spot CSI ,507SD(Criticare Systems International):503 Spot		S0044BC-L	Exi-Cable, 8ft, DB9M>DB9F, Suitable for CSI probe	 064		B3
	CSI (Criticare Systems International):Scholar , Poet (602-3A), 1100 , 581, 508, 507, 507SD,504, 503, 501; Mindray 500A		S0100BC-L	Exi-Cable, 8ft, Lemo 1B.5>DB9F, Suitable for CSI probe	 454		D3
<b>Datascope</b>	Datascope:Accusat Datascope:Accutorr 3/4 SAT Datascope:Accutorr Plus (Datascope Sp02) Datascope:Passport (Database Sp02)		S0052BC-L	Exi-Cable, 8ft, DIN8P>DB9F, Suitable for Datascope probe	 722		C5
<b>PETAS</b>			S0089BC-L	Exi-Cable, 8ft, Readel 2Rib 40° -6P>DB9F, fit for Nellcor probe	 130		B0

## SpO<sub>2</sub> Sensor Extension Cable

OEM	OEM MODELS NUMBER	OEM P/N	REF NO.	Description (Name,Length,Plug,Compatible)	INSTRUMENT CONNECTOR	CONNECTOR (SENSOR SIDE)	PRICE CODE
<b>DATEX</b>	Datex-Ohmeda:AS/3, CS/3, CH/S, CH/2S, CH-RS, CG/2S, Cardiocap I, Cardiocap II, Cardiocap 5, Capnomac Ultima, Light Monitor, M-Estrp, Oscar II, OSP-200, Satlite Trans, Satlite Trans Plus, ULTSVI, ULTSVO, ULTSIO, ULTS00	OXY-C3	S0036BC-L	Exi-Cable, 8ft, Round 10J>DB9F, Suitable for DATEX probe	718 		C4
		OXY-SL3	S0036OH-L	Exi-Cable, 8ft, Round 10J>8J, Suitable for DATEX probe	343 	396 	D0
<b>Datex-Ohmeda</b>	Suitable for Datex-Ohmeda:Ohmeda 3700, Ohmeda 3710, Ohmeda 3770, Ohmeda 3775, Biox 3740, Biox 3760, 3800 OxiCap, 4700 OxiCap, 5250RGM, Rascal II; GE Medical Systems:Corometrics 511; Mennen:Horizon XL (Ohmeda SpO2)		S0014BC-L	Exi-Cable, 8ft, Hyc7P>DB9F, Suitable for Ohmeda probe	511 		C2
		OXY-OL3	S0014OH-L	Exi-Cable, 8ft, Hyc7P>8J, Suitable for Ohmeda probe	754 	396 	D0
<b>GE-Ohmeda</b>	Sensor solutions for GE Ohmeda TruSat™ pulse oximeter:	OXY-MC3	S0127OH-L	Interconnect cable, 8ft DB9M>8J, Suitable for Ohmeda probe	313 	352 	F0
<b>Dolphin Medical (OSI)</b>	Dolphin ONE Oximeters	110	S0099BC-L	Exi-Cable, 8ft, AMP14P>DB9F, Suitable for Dolphin probe	388 		C0
<b>EDAN (China)</b>	EDAN: M9, WANDONG 万东: BYS-8000, MINDRAY 迈瑞: PM-8000		S0040BC-L	Exi-Cable, 8ft, Reade1 2bit. 6P>DB9F, Suitable for BCI probe	076 		B4
<b>GE Medical (Nellcor module)</b>	GE Medical Systems:Eagle GE Medical Systems:Dash GE Medical Systems:SOLAR GE Medical Systems:TRAM Modular x50SL Series	E9004GE	S0002NE-L	Exi-Cable, 8ft, Rectangle 11P>DB9F, Compatible for NELLCOR sensor and S0010B-S	075 	130 	B5
<b>GE Medical (Oxi-tech module)</b>	GE Medical Information technology: Dash 2500 Oximax module		S0122OX-L	Exi-Cable, 8ft, Rectangle 11P>>DB9F, Suitable for Nellcor oximax probe and S0132B-S	075 	205 	F0
<b>GE Medical (Masim module)</b>	GE Medical Systems:Dash,SOLAR Series (Masimo module)		S0025MA-L	Exi-Cable, 8ft, Rectangle 11P>Masimo 6J, Suitable for Masimo LNOP probe	075 	109 	D5
			S0025CO-L	Exi-Cable, 8ft, Rectangle 11P>DB9F, Compatible for NELLCOR sensor and S0010B-S	069 		D5
<b>GE-Ohmeda</b>	Sensor solutions for Datex-Ohmeda S/5 FM ports:	OXY-ES3	S0128OH-L	Interconnect cable, 8ft, Rectangle 11P>8J, Suitable for Ohmeda probe	379 	591 	D0

























## SpO<sub>2</sub> Sensor Extension Cable

Compatible Brand	Compatible Models No.	OEM P/N	REF NO.	Description (Name,Length,Plug,Compatible)	INSTRUMENT CONNECTOR	CONNECTOR (SENSOR SIDE)	PRICE CODE
<b>Hellige</b>	Servomed 4.Generation SCP 844,851,852; SCS 804; SMK151,153,154,155- 1,156,157,SMK181,182,SMV 104T,107,111,168;SMS316;SMC108;S MV104,Servomed N4, Servocard, Serie Cardioserv,Vicom SM,SMU 511,611,612,630 Serie SMK-200, SMK210,211,230.231.240,250,SMP 300,310,Pepita 201,202,202 R.,203,Pepita 203, R204,204R,205, Pepita 205R		S0006NE-L	Exi-Cable, 8ft, Round 10P>DB9F, fit for Nellcor probe	077 	130 	C5
<b>Huntleigh Healthcare</b>			S0147NE-L	Exi-Cable, 8ft, Readel 1bit.7P>DB9F, Suitable for BCI probe	041 	130 	C4
<b>INVIVO (Nellcor module)</b>	4500,4500Plus,Millenia,Omega14 45,Omn-TrakTVS,Sat Scout,original cable number 9383		S0083NE-L	Exi-Cable, 8ft, Lemo 1B.7p>DB9F, Suitable for Nellcor probe	392 	130 	C4
<b>INVIVO (Masim module)</b>	M8		S0094MA-L	Exi-Cable, 8ft, Lemo 1B.7p>Masimo 6J, Suitable for Masimo LN0P probe	483 	109 	D0
			S0094CO-L	Exi-Cable, 8ft, Lemo 1B.7p>DB9F, Compatible for NELLCOR sensor and S0010B-S	235 		D0
<b>Kontron</b>	Kontron:7840 Kontron:7845 Kontron:Kolormon Kontron:Micromon Kontron:Minimon 7137 Kontron:Supermon Kontron:Trakmon		S0019NE-L	Exi-Cable, 8ft, Round 12P>DB9F, Suitable for Nellcor probe	070 	130 	C2
<b>Masim</b>	Masim all MDE:EscortII OPT30:Prism ,GE Marquette:,Pro1000,V300 , INVIVO:T8 , Schiller: , ZOLL: , Datascope: Trio,Passport2, Spectrum, <b>* Original or refurbished or</b>		S0020CO-L	Exi-Cable, 8ft, Amp14P>DB9F, Compatible for NELLCOR sensor and S0010B-S	403 		C5
<b>MEK (Korea)</b>	MP-100, MP110, MP400, MP500,MP600,MP1000 (CSI Module)		S0018BC-L	Exi-Cable, 8ft, DB9M>DB9F, Suitable for MEK probe	078 		B5
	REF: MIS3AH_1 MEK ICS: MP1000NT TYPE: MEK (CSI Module)	MIS3AH_1	S0115BC-L	Exi-Cable, 8ft, Round 8p>DB9F, Suitable for MEK probe	212 	405 	D0
	MP1000, (Nellcor Module) 		S0144NE-L	Exi-Cable, 8ft, Round 8p>DB9F, Suitable for Nellcor probe	212 	130 	D0
<b>Mennen</b>			S0103NE-L	Exi-Cable, 8ft, Round 8p>DB9F, Suitable for Nellcor probe	213 	130 	D0

## SpO<sub>2</sub> Sensor Extension Cable



























Compatible Brand	Compatible Models No.	OEM P/N	REF NO.	Description (Name,Length,Plug,Compatible)	INSTRUMENT CONNECTOR	CONNECTOR (SENSOR SIDE)	PRICE CODE
<b>Mennen</b>	Horizon2000		S0009NE-L	Exi-Cable, 8ft, Lemo 2b. 8p>DB9F, Suitable for Nellcor probe	499 	130 	F0
<b>Mindray (csi module)</b>	MEC-509,509+,503,507, Marketing:SFDA, 销售区域:中国SFDA OEM No.512A-30-06074	512A-30-06074	S0011NE-L	Exi-Cable, 8ft, Lemo 1B.5p>DB9F, Suitable for CSI probe	451 	508 	C5
<b>Mindray (mindray module)</b>	VS800(Mindray module), PM-7000,6201,8000,9000, Marketing:SFDA,CE,FDA; OEM No.0010-20-42594	0010-20-42594	S0040NE-L	Exi-Cable, 8ft, Redel 2bit-40° 6p>DB9F, Compatible for NELLCOR sensor and S0010B-S, Mindray 512D,	076 	205 	B4
	PM5000,PM6000,PM8100 Marketing:SFDA,CE. OEM No.0010-21-11957	0010-21-11957	S0045OX-L	Exi-Cable, 8ft, Round 12p>DB9F, Compatible for NELLCOR sensor and S0010B-S	566 	205 	B0
	PM-6800, (Mindray module) <b>BeneView T5T6/T8 (Mindray module)</b> <b>iPM Series (Mindray module)</b>	0010-30-42737	S0125CO-L	Exi-Cable, 8ft, Round 7p>DB9F, Compatible for NELLCOR sensor and S0010B-S	239 	205 	F0
<b>Mindray (masim module)</b>	PM9000express(.Masim). PM8002,9201, (PM-6201,7000,8000,M1K0,M2K0 since 2006), Marketing:SFDA,CE.FDA	0010-30-42625	S0116CO-L	Exi-Cable, 8ft, Radel 2bit-60° 6p,>>DB9F, <b>Compatible for NELLCOR sensor and S0010B-S</b>	241 		D0
	PM-9000,9100,9200,(PM-6201,7000,8000,M1K0,M2K0 before 2006) Marketing:SFDA,CE.FDA OEM No.0010-30-42602	0010-30-42602	S0013CO-L	Exi-Cable, 8ft, Radel 2bit 40° 6p>DB9F, <b>Compatible for NELLCOR sensor and S0010B-S</b>	076 		D0
	PM-6000 ( masimo module, 12pin socket) Marketing:SFDA,CE.FDA OEM No.0010-30-12452	0010-30-12452	S0012CO-L	Exi-Cable, 8ft, Round 12p>DB9F, <b>Compatible for NELLCOR sensor and S0010B-S</b>	412 		D0
	PM-6800 (masimo module, 7pin socket) , <b>BeneView T5/T6/T8 (masim module)</b> <b>iPM Series (masim module)</b>	0010-30-42738	S0126CO-L	Exi-Cable, 8ft, Round 7p>DB9F, <b>Suitable for NELLCOR probe,, as S0010B-S</b>			F0
	PM-6800 (masimo module, 7pin socket) , <b>BeneView T5/T6/T8 (masim module)</b> <b>iPM Series (masim module)</b>	0010-30-42738	S0126CS-L	Exi-Cable, 8ft, Round 7p>DB9F, <b>Suitable for Masim CS probe and S0153B-S</b>		480 	F0
	PM9000express, PM9000, 9100, 9200 (masimo module) Marketing:SFDA,CE.FDA OEM No.9200-30-10707	9200-30-10707	S0013MA-L	Exi-Cable, 8ft, Radel 2bit 6p>Masimo 6J, Suitable for Masimo probe	402 	109 	F5
	PM6000 (masimo module) Marketing:SFDA,CE.FDA OEM No.6200-30-11721	6200-30-11721	S0012MA-L	Exi-Cable, 8ft, Round 12p>Masimo 6J, Suitable for Masimo probe	505 	109 	F5
	<b>MINDRAY (Nellcor module)</b>	VS800. 8002. 9201、PM7000(Since Jan. 2006) patient monitor of Nellcor module and 6pin plug (80° between 2bit)	0010-20-42595(E)	S0129NE-L	Exi-Cable, 8ft, Radel 2bit 6p (80° )>>>DB9F, Suitable for Nellcor probe	076 	544 

## SpO<sub>2</sub> Sensor Extension Cable





















Compatible Brand	Compatible Models No.	OEM P/N	REF NO.	Description (Name,Length,Plug,Compatible)	INSTRUMENT CONNECTOR	CONNECTOR (SENSOR SIDE)	PRICE CODE
<b>Nellcor</b>	Datascope:Accutorr Plus, Nellcor:NPB-290/5, N-390,N-395,N-3000 N-6000,NPB-290/5,N-390,N-395,N-3000,N-6000, Nihon Kohden:BSM-4104A, BSM-4114A, Colin BP88/306	SCP-10	S0001NE-L	Exi-Cable, 8ft, AMP14P>DB9F, Suitable for Nellcor probe	388 	130 	B0
<b>Nellcor</b>	<b>Datascope:</b> Expert,Passport, <b>GE Medical:</b> Corometrics 188/129,CritikonDinamap9700/9710/9720 Plus/Compact/MPS/Pro 300/Pro 400/Select, <b>IvyBiomedical:</b> 405P,405T, <b>M.D.E.:</b> Escort II OPT30,Prism, <b>Nellcor:</b> N100,N200,N180,N-20,NPB-40,NPB-75 , <b>Nonin:</b> 8500,8604, <b>Welch Allyn</b> Protocol:Propaq 206-EL,Propaq 204-EL,Propaq 202-EL,Propaq 106EL	EC-4	S0010NE-S	Exi-Cable, 4ft, DB9M>DB9F, Suitable for Nellcor probe	059 	130 	A8
		EC-8	S0010NE-L	Exi-Cable, 8ft, DB9M>DB9F, Suitable for Nellcor probe	059 	130 	A8
<b>Nellcor (Oxi-tech)</b>	Nellcor: N550, N-595 GE: Dinamap PRO (w/Oxi) , Schiller		S0026NE-A	OXI Adapter DB9M>DB9F, Suitable for Nellcor probe, Old Nellcor to OXIMA TECH OXIMETER	496 		C0
	All Nellcor & Nellcor equipped OEM monitors not listed above , <b>Philips:</b> Viridia A3	DEC-4	S0026OX-S	Exi-Cable, 4ft, DB9M>DB9F, Suitable for Nellcor oximax probe , as S0026B-S	204 	238 	C7
		DEC-8	S0026OX-L	Exi-Cable, 8ft, DB9M>DB9F, Suitable for Nellcor oximax probe and S0026B-S	204 	238 	C8
	Nellcor: N550, N-595 GE: Dinamap PRO (w/Oxi) , Schiller	DOC-10	S0117OX-L	Exi-Cable, 8ft, AMP14P>DB9F, Suitable for Nellcor probe and S0026B-S	116 	205 	C5
<b>Nihon Konden</b>	AL-800PA Module,BSM-1101 LifeScope EC,BSM-2101/2 LifeScope L,BSM-3101 LifeScope LC,BSM-7100/7200 LifeScope 8,BSM-8200/1 LifeScope 12, BSM-8301/2 LifeScope 9,SM-8800 LifeScope14,OLV-1100A		S0069NE-L	Exi-Cable, 8ft, Round 10p>DB9F, Suitable for Nihon Konden probe and S0069J-S	047 	130 	C0
			S0069NI-L	Exi-Cable, 8ft, Round 10p>DB9F, Suitable for Nihon Konden probe	047 		G0
	Bedside Monitor: BSM-4101,4103,4111,4113 Life scope P,BSM-5105,5135 Life scope A,BSM-2351,2353 Life scope L,BSM-2301,2303 Life scope I	TL-201T	S0005NI-L	Exi-Cable, 8ft, Rectangle 14p>DB9F, Suitable for Nihon Konden probe	214 	090 	F0
<b>Nonin</b>	8604,8604D		S0080NE-L	Exi-Cable, 8ft, Lemo 1b 6p>DB9F, Suitable for Nonin probe	045 	130 	C5
<b>Nonin</b>	8600 series, 8500,8700,8800,9600,9700		S0109NE-L	Exi-Cable, 8ft, AMP 8p>DB9F, Suitable for Nonin probe	215 	130 	D0



## SpO<sub>2</sub> Sensor Extension Cable























OEM	OEM MODELS NUMBER	OEM P/N	REF NO.	Description (Name,Length,Plug,Compatible)	INSTRUMENT CONNECTOR	CONNECTOR (SENSOR SIDE)	PRICE CODE
<b>Novamatrix</b>	Novamatrix:505, 510,511,515B/C, 520, 7000, 7100, Oxypleth ; Spacelabs Medical:90351-D/G , 90465, , 90466, 90467, 90489, 90651-07/08 , 90419-01, 90651A-07	8776-00	S0062NE-L	Exi-Cable, 8ft, Hypertronics 7p>DB9F, Suitable for Novamatrix probe and S0062B-S	071 	130 	C2
<b>Novamatrix</b>	Oxypleth (Extension Cable),7100 (Extension Cable),7000 (Extension Cable),520 (Extension Cable),515B/C (Extension Cable) ,505 (Extension Cable),500		S0062HY-L	Exi-Cable, 8ft, Hypertronics 7p>Hys 7J, Suitable for Novamatrix probe and S0062B-L	071 		D0
<b>Pace Tech Generra</b>	Pace Tech:All w/ black face (except Vitalmax 800 w/Nellcor® SpO <sub>2</sub> ), Generra: 710. 200. 300. 400. 810, 530	4510	S0082BC-L	Exi-Cable, 8ft, Switchcraft 5J>DB9F, Suitable for BCI probe	216 		C5
			S0091BC-L	Exi-Cable, 8ft, Readel 1bit 7p>DB9F, Suitable for BCI probe	041 		B4
<b>Philips</b>	Philips Medical:M2601A,M3000A,M3500 B,M4735A	M1943A	S0015OX-L	Exi-Cable, 8ft, hemicycle 8p>DB9F, Compatible for NELLCOR sensor and S0010B-S	052 	205 	B0
	Philips Medical:M2601A,M3000A,M3500 B,M4735A	M1941A	S0015PH-L	Exi-Cable, 8ft, hemicycle8P>hemicycle 8J, Suitable for Philips probe	210 	080 	C4
	Philips Medical:78352C,78354C,78834C, M1020A,M1025B,M1205A,M1350 B,M1722A/B,M1732A/B,M2475B, Viridia A1, Viridia A3	M1900B	S0003OX-L	Exi-Cable, 8ft, Round 12p>DB9F, Compatible for NELLCOR sensor and S0010B-S	128 	205 	B0
	Philips Medical:M2475B, M1732A/B, M1722A/B, M1020A, 78833C, 78833A, 78834A, 78352C, 78352A	M1940A	S0003PH-L	Exi-Cable, 8ft, Round 12P>hemicycle 8J, fit for Philips probe	206 	207 	C2
<b>PRIMEDIC</b>			S0139NE-L	Exi-Cable, 8ft, Redel 1Rib-7pin>DB9F, Fit for Nellcor probe	 558	130 	C2
			S0140NE-L	Exi-Cable, 8ft, Redel 2Rib-8pin>DB9F, Fit for Nellcor probe	 40%	130 	C2
<b>S&amp;W (Artema)</b>	S&W(Diascope G2) Patient monitor, Diascope 1,2,3	SL033057	S0023OX-L	Exi-Cable, 8ft, Round 10J>DB9F, Fit for Nellcor probe	709 	205 	C5
<b>SILICONLABS (INDIA)</b>			S0148NE-L	Exi-Cable, 8ft, DB9M>>DB9F, Fit for Nellcor probe		130 	C2
<b>Schiller (nellcor module)</b>	Schiller Argus TM-7		S0028NE-L	Exi-Cable, 8ft, Din7P>DB9F, fit for Nellcor probe	339	130	C2

## SpO<sub>2</sub> Sensor Extension Cable

Compatible Brand	Compatible Models No.	OEM P/N	REF NO.	Description (Name,Length,Plug,Compatible)	INSTRUMENT CONNECTOR	CONNECTOR (SENSOR SIDE)	PRICE CODE
<b>Schiller (masim module)</b>	Argus Pro, Argus LCM		S0118MA-L	Exi-Cable, 8ft, DIN7P>Masimo 6J, Suitable for Masimo probe	 339	 109	D0
<b>SIMED (Baxter)</b>	Baxter:ASAT , SIMED:S-50 SiMED:S-100, SIMED:S-100e	600015	S0120NE-L	Exi-Cable, 8ft, Hypertronics 8p>DB9F, Compatible for NELLCOR sensor and S0010B-S	 447	 130	C0
<b>Siemens Drager medical</b>	Siemens medical SC 6002XL, SC7000, SC8000, SC9000XL		S0072BC-S	Exi-Cable, 4ft, round 7P>DB9F, Suitable for BCI probe	 073		C2
	Siemens medical SC 6002XL, SC7000, SC8000, SC9000XL		S0072BC-L	Exi-Cable, 8ft, round 7P>DB9F, Suitable for BCI probe	 073		C2
	Drager medical: Vitalert 1000, Cicero		S0119NE-L	Exi-Cable, 8ft, Lemo 2b 8P>DB9F, Suitable for Nellcor probe	 046	 130	H0
	Siemens Medical:Sirecust 700 Siemens Medical:Sirecust 630 Siemens Medical:Sirem SpO2 Module		S0078NE-L	Exi-Cable, 8ft, hemicycle10P>DB9F, Suitable for Nellcor probe	 476	 130	C5
<b>Spacelabs</b>	Spacelabs Medical:90351-0/6; 90465; 0466; 90489; 90651A-08; 90651-A; IM77,90308, PC Scout	700-0020-0	S0035NE-L	Exi-Cable, 8ft, Hypertronics 12p>DB9F, Suitable for Nellcor probe	 220	 130	C2
	Spacelabs Medical: 1050,1600,1700,90369,90469,90496 Ultraview	700-0030-00	S0004NE-L	Exi-Cable, 8ft, Rectangle 10P>DB9F, Suitable for Nellcor probe	 081	 130	C0
	Single Adapter Cable: 90351-D/G,90465,90466,90467,90489,90651-07/08 ; 2nd Adapter Cable: 90351-D/G,90465,90466,90467,90489,90651-07/08		S0035HY-L	Exi-Cable, 8ft, Hypertronics 12p>Hypertronics 7J, Suitable for Novamatrix probe	 220	 232 Code:	D0
	Single Adapter Cable: 90351-D/G,90465,90466,90467,90489,90651-07/08 ; 2nd Adapter Cable: 90351-D/G,90465,90466,90467,90489,90651-07/08		S0035HY-A	Exi-Cable, 1ft, Hypertronics 12p>Hypertronics 7J, Suitable for Novamatrix probe	 220	 232 Code:	D0



## SpO<sub>2</sub> Sensor Extension Cable (China brand)

Compatible Brand	Compatible Models No.	OEM P/N	REF NO.	Description (Name,Length,Plug,Compatible)	INSTRUMENT CONNECTOR	CONNECTOR (SENSOR SIDE)	PRICE CODE
<b>AnKe安科</b> <b>Choice超思:</b> <b>MMED6000D/D</b>	AnKe:553; Biolight;Cheersails:CSM-2000;Goldway:UT4000; WanDong万东;Jumbor精博:JB9101/9105/9107; TianRong天荣; BaoZhong保中生物; HongRunDa宏润达:EM-6; QiLan启蓝:M-III; JERRY:PM2000; JoyceTracker今世创科: BMD-50; Mindray:PM9000; Richer荣创:RC9000; ShenMai深迈:KP-900; Spurt世博达:CP-1200; SHIPAI狮牌: KMI-1000; ZhongHengSheng中恒生:KD580; ZhongYua中原: HD-2000		S0007BC-L	Exi-Cable, 8ft, Readel 1bt 5P>DB9F, Suitable for BCI probe	074 		B4
<b>Biolight宝莱特</b>	M6,M12, M69(new version),		S0029BC-L	Exi-Cable, 8ft, Readel 1bt 5P>DB9F, Suitable for BCI probe	408 		B4
	BLT: M66, M69(Old version),		S0101BC-L	Exi-Cable, 8ft, Lemo 1b 5P>DB9F, Suitable for BCI probe	044 		C5
<b>Biocare邦健</b> <b>Jumbor精博</b>	BM9000		S0022BC-L	Exi-Cable, 8ft, Readel 2bit. 6P>DB9F, Suitable for BCI probe	076 		B4
<b>Choice超思</b> <b>oximax module</b>	NELLCOR OXIMAX module		S0112OX-L	Exi-Cable, 8ft, Readel 1bt 9P>DB9F, Suitable for Nellcor probe DS-100A and MED- LINK S0026B-S	444 	205 	C0
<b>Creative科瑞康</b> <b>Contec 康泰</b>	<u>Creative</u> : PC9000,UP6000, <u>TOB-MED 同科博越</u> : TOM MS-6-P, <u>EDAN 理邦</u> : M9, <u>BIOCARE 邦健</u> : BM9000, <u>Goldway 金科威, Contec 康泰</u>		S0063BC-L	Exi-Cable, 8ft, Readel 2bit. 6P>DB9F, Suitable for BCI probe	076 		B4
<b>GOLDWAY</b> <b>金科威</b>	4000B		S0061BC-L	Exi-Cable, 8ft, Readel 2bt 7P>DB9F, Suitable for BCI probe	041 		B5
<b>Goldway</b> <b>金科威</b>	Goldway: UT4000A, PACE TECH		S0007BC-L	Exi-Cable, 8ft, Readel 1bit. 5p>DB9F, Suitable for BCI probe	074 		B4
<b>Goldway</b> <b>金科威</b>	UT4000A, UT4000C, UT4000E, UT4000F, UT4000Apro, UT4000Fpro, UT6000A		S0038BC-L	Exi-Cable, 8ft, Lemo 1B. 5>DB9F, Suitable for BCI probe	696 		C5
<b>3F</b> <b>三埃弗</b>	COMEN(科曼):STAR-1000; LANKE(兰科):LK-8600A; 3F(上海三埃弗): DIONA PMS-8100; 美国CSI雷达:RADO 4200; MAYTAG(美泰克):MTK-2000		S0021BC-L	Exi-Cable, 8ft, Readel 1bt 6P>DB9F, Suitable for BCI probe	583 		B4
<b>Neusoft</b> <b>东软</b>	NSC series patient monitor		S0003OX-L	Exi-Cable, 8ft, Round 12p>DB9F, Compatible for NELLCOR sensor and S0010B-S	128 	205 	B0